

PROXXON

PROXXON
MICROMOT
System



***Strong problem solvers for
stone and tile treatment!
Made in Europe.***

Strong problem solvers for trade and industry! Made in Europe.



- Exceptionally versatile thanks to its long, slim die-cast aluminium gear head.
- High quality 10.8V lithium-ion battery with 2.5Ah for high performance.
- One battery charge allows for at least 30 minutes of use even at maximum power.

Cordless long neck angle grinder LHW/A

For precise cutting right into corners with a cutting depth of 14mm.

For cutting discs with 50mm diameter. A corundum grinding disc (grit 60), a fan sander (grit 100) and a reinforced cutting disc are included. Safely stored in an attractive plastic case. Set includes LHW/A, lithium-ion battery Li/A2 (10.8V) and rapid battery charger LG/A2.

Technical data:

10.8V. 5,000 – 16,000rpm. Discs Ø 50mm with 9.6mm bore. Length 320mm.

Weight approx. 800g (including battery).

NO 29 815

Cordless long neck angle grinder LHW/A

As described above, also including the specified accessories. Without battery and without rapid charger. Packed in a cardboard box. Ideal for use in the Basic set LBX/A for cordless tools.

NO 29 817



Note:

All cordless tools depicted are also available as mains powered 230 volt version.

Accessories for tile treatment with 50 mm diameter.

Diamond-coated cutting disc with Turbo Rim



For extremely fast cuts and extraordinary durability in granite, marble, stoneware and ceramic materials. Also for cutting corner protection profiles without tempering colours. Thickness 1.7mm.

NO 28 157

Diamond-coated fine cutting disc



For very thin, precise and short cuts in ceramic materials and glass. Thickness 0.8mm.

NO 28 158


Diamond-coated cutting and roughing disc



For cutting, grinding and roughing of hard materials such as glass, porcelain, ceramics and tiles. Less heating up due to cooling holes. Thickness 2.1mm.

NO 28 557

Diamond-coated cutting disc



For fine cuts in hard materials such as glass, porcelain, ceramics and tiles. Less heating up due to cooling holes. Thickness 1.2mm.

NO 28 558

Tungsten carbide cutting disc



For cutting wood (especially wooden floors) and jointing mortar. Thickness 1.3mm.

NO 28 556

Note:


Accessories for other applications, such as wood and metal treatment, can be found on our website proxxon.com.



Cordless long neck angle milling/drilling unit LWB/A

For drilling, milling and polishing in tough-to-reach areas.
With six triple slit, hardened steel collets 1 – 1.5 – 2 – 2.4 – 3 and 3.2mm.
Set includes lithium-ion battery Li/A2 (10.8V) and rapid battery charger LG/A2.

Technical data:
10.8V. 5.000 – 16.000rpm. Length 320mm. Weight 800g (incl. battery).
NO 29 805



Cordless long neck angle milling/drilling unit LWB/A

As described above, also including the steel collets. Without battery and without rapid charger.
Packed in a cardboard box. Ideal for use in the Basic set LBX/A for cordless tools.
NO 29 807



Diamond-coated cutting disc



Less heating up due to cooling holes. Thickness 0.6mm.
Shaft 2.35mm. Diameter 38mm.

NO 28 846 Ø 38mm

Note:
Further diamond accessories can be found on our website proxxon.com.

Cordless angle polisher WP/A

Quiet planetary gear and continuously variable speed control for low and constant speeds even during high contact pressure.

Foam backing pad Ø 50mm with hook and loop fastening. Set includes LHW/A, lithium-ion battery Li/A2 (10.8V) and rapid battery charger LG/A2.

Technical data:
10.8V DC. Spindle speeds 1,100 – 2,800rpm. Length 305mm. Weight 950g (including battery).
NO 29 820



Cordless angle polisher WP/A

As described above, also including accessories. Without battery and without rapid charger. Packed in a cardboard box.
Ideal for use in the Basic set LBX/A for cordless tools.
NO 29 822



Eraser disc



Ideal for removing glue residues, markings and other superficial pollutants from ceramics.

NO 29 068

Diamond sanding/polishing pad



For chamfering and sanding/polishing of cutting edges in granite, marble, stoneware and ceramic materials. Self-adhesive type. Ø 50mm.

NO 28 656	K 50	3 pieces
NO 28 657	K 100	3 pieces
NO 28 658	K 200	3 pieces
NO 28 659	K 400	3 pieces

Basic set LBX/A for cordless tools. In proven L-BOXX-system.



Extremely flat L-BOXX complete with two lithium-ion batteries and rapid charger.

Including thermoformed insert for two cordless tools. For customised selection of two cordless tools. With plenty of space for accessories.

Technical data:

Rapid charger 100 – 240V. 50/60Hz. Output 12.6V, 2A. Weight 340g.
Battery 10.8V. 2.5 Ah. Length 85mm. Weight 180g.

NO 29 900



We recommend the combination LHW/A & WP/A.



Rapid battery charger LG/A2

Charges the PROXXON lithium-ion battery Li/A2 in one hour.
With integrated temperature control. LED signal light:
Yellow = charging, Green = charged.

Technical data:

Input 100 - 240V, 50/60Hz. Output 12.6V, 2A.
Weight approx. 340g.

NO 29 880

Lithium-ion battery Li/A2

For long and durable powerful operation of our MICROMOT cordless tools. With integrated temperature control for safe operation.

Technical data:

Voltage 10.8V. Capacity 2.5Ah. Length 85mm. Weight 180g.

NO 29 896

